

FIG 1




FIG 2




FIG 3




FIG 4




FIG 5






FIG 6



```

170 <response
172 <version="2.0.0">
174 <domain
      domainName="domain.com">
176 <appliance
      serialNumber="11e"
      name="appliance"
      status="0">
178 <logs>
      <logEntry filename="/var/log/messages">
        <![CDATA[
        ]]>
      </logEntry>
    </logs>
  </appliance>
</domain>
</response>

180 <device
      name="device"
      address="192.168.100.50"
      status="0">
182 <protocol
      id="0"
      type="icmpPing"
      success="true"
      description="Host Ping">
    </protocol>
  </device>
</domain>
</response>

```

FIG 8B






FIG 9



204 — `<request`
 206 — `version="r1.0.1">`
 `<tunnel`
 `serverAddress="<address>"`
 `clientAddress="<address>"`
 `protocol="<protocol>"`
 `ifName="<interface>"`
 208 — `active="false">`
 `<directedCircuit`
 `expires="<minutes>"`
 `serverSideHostAddress="<address>"`
 `clientSideHostAddress="<address>"`
 `clientBound="false"`
 `requested="true"`
 `clientSideActive="false"`
 `serverSideActive="false"/>`
 `</tunnel>`
 `</request>`

FIG 10C




FIG 11




FIG 12A




FIG 12B